



Tom Barrett  
Mayor

Bevan K. Baker, FACHE  
Commissioner of Health

Sandra J. Rotar  
Health Operations Administrator

## Health Department

[www.milwaukee.gov/health](http://www.milwaukee.gov/health)

Frank P. Zeidler Municipal Building, 841 North Broadway, 3rd Floor, Milwaukee, WI 53202-3653 phone (414) 286-3521 fax (414) 286-5990

## Routine Food

Menard Inc.  
Menards  
8110 W Brown Deer Rd  
Milwaukee, WI

4/26/2016

The following list of violations of the Wisconsin Administrative Code as adopted by reference in the Milwaukee Code of Ordinances Chapter 68, and/or other City ordinance(s) must be corrected as soon as possible but not later than the date specified. A re-inspection fee may be assessed if the violation is not corrected by that date. An inspection fee may be charged for any repeat violations.

### CDC Risk Code Factor Violation(s)

Code Number	Description of Violation	Correct By
CDC Risk Violation(s):	0	

### Good Retail Practice Violations(s)

Code Number	Description of Violation	Correct By
8-201.15	Waste Receptacles. (A) EASILY CLEANABLE receptacles shall be provided for waste materials. (B) Toilet rooms used by women shall be provided with a waste receptacle as specified in § 5-501.17. Covered/ lid	5/10/2016

Good Practice Violation(s): 1

Total Violations: 1

Notes:

On 4/26/2016, I served these orders upon Menard Inc. by leaving this report with

Inspector Signature (Inspector ID:114)

Operator Signature